

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 09/06/2005

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/940,283	08/27/2001	Gust H. Bardy	032580.0003.UTL	8060	
21691 75	590 09/06/2005	·	EXAM	INER	-
CROMPTON SEAGER AND TUFTE, LLC			MULLEN, KRISTEN DROESCH		
SUITE 800			ART UNIT	PAPER NUMBER	
MINNEAPOLI	S, MN 55403-2420		3762		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	09/940,283	BARDY ET AL.					
Office Action Summary	Examiner	Art Unit					
	Kristen Mullen	3762					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
,	1) Responsive to communication(s) filed on 6/23/05 (response).						
,	•						
•							
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) Claim(s) <u>1-13,15-24,26-46,52-56,58-85,87-107,113,115-142-147,149 and 150</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) <u>1-13, 15-24, 26-46, 52-56, 58-85, 87-107, 113, 115-142, 145, 147, 149 and 150</u> is/are allowed.							
6) Claim(s) 143,144 and 146 is/are rejected.							
· - · · · · - · · · · · · · · · · · · ·	7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.						
or Claim(s) are subject to restriction and/or	i diodion roquiromonic						
Application Papers							
9) The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>17 February 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)☐ All b)☐ Some * c)☐ None of:							
1.☐ Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)							
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date							
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal F 6) Other:	atent Application (PTO-152)					

Application/Control Number: 09/940,283

Art Unit: 3762

DETAILED ACTION

Double Patenting

1. A rejection based on double patenting of the "same invention" type finds its support in the language of 35 U.S.C. 101 which states that "whoever invents or discovers any new and useful process ... may obtain a patent therefor ..." (Emphasis added). Thus, the term "same invention," in this context, means an invention drawn to identical subject matter. See *Miller v. Eagle Mfg. Co.*, 151 U.S. 186 (1894); *In re Ockert*, 245 F.2d 467, 114 USPQ 330 (CCPA 1957); and *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970).

A statutory type (35 U.S.C. 101) double patenting rejection can be overcome by canceling or amending the conflicting claims so they are no longer coextensive in scope. The filing of a terminal disclaimer <u>cannot</u> overcome a double patenting rejection based upon 35 U.S.C. 101.

- 2. Claim 146 is rejected under 35 U.S.C. 101 as claiming the same invention as that of claim 79 of prior U.S. Patent No. 6,866,044. This is a double patenting rejection.
- 3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

4. Claim 143 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 75 of U.S. Patent No. 6,866,044. Although the conflicting claims are not identical, they are not patentably distinct from each other the claims of the present application are broader and are met by the narrower patent claims (the patent claims contain all the limitations of the present application claims).

Application/Control Number: 09/940,283

Art Unit: 3762

.

Page 3

5. Claim 144 is rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 94 of U.S. Patent No. 6,866,044 in view of Sanchez Zambrano (5,895,414). Claim 94 of U.S. Patent No. 6,866,044 fails to specify that the cardioverter defibrillator is advanced approximately between a patient's third rib and patient's twelfth rib. Sanchez-Zambrano shows that it well known in the art to implant cardiac devices over the ribcage and below a patient's third rib and above a patient's twelfth rib (Fig. 2). Therefore, it would have been obvious to one with ordinary skill in the art to include the step of advancing the cardioverter-defibrillator approximately between a patient's third rib and twelfth rib, since it is well known in the art to implant cardiac devices over the ribcage and below a patient's third rib and above a patient's twelfth rib.

Allowable Subject Matter

6. Claims 1-13, 15-24, 26-46, 52-56, 58-85, 87-107, 113, 115-142, 145, 147 and 149-150 are allowed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kristen Mullen whose telephone number is (571) 272-4944. The examiner can normally be reached on M-F, 10:30 am-6:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert E. Pezzuto can be reached on (571) 272-6996. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/940,283

Krister Muller

Art Unit: 3762

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Supervisory Patent Examiner

Art Unit 3762

kdm